

A75M

AMD A75 Hudson D3 Chipset

ASRock
www.asrock.com



Product Brief <<<<

- Support for Socket FM1 100W processors
- AMD A75 Hudson D3 Chipset Supports Native 6 x SATA3, 4 x USB 3.0 Ports
- Supports Dual Channel DDR3 2400+(OC)
- Supports AMD Dual Graphics
- Dual VGA Output : HDMI and D-Sub
- Supports AMD Steady Video™: New video post processing capability for automatic jitter reduction on home/online video
- 7.1 CH HD Audio with Content Protection (Realtek ALC890 Audio Codec), Supports THX TruStudio™
- Supports XFast USB Technology, Graphical UEFI BIOS
- Supports On/Off Play Technology, Instant Boot, Instant Flash, APP Charger, SmartView
- Free Bundle : CyberLink MediaEspresso 6.5 Trial

The specification is subject to change without notice. The brand and product names are trademarks of their respective companies. Any configuration other than original product specification is not guaranteed.

Detail Specification <<<

| | |
|-------------------------|--|
| Platform | - Micro ATX Form Factor: 9.6-in x 8.5-in, 24.4 cm x 21.6 cm - All Solid Capacitor design |
| CPU | - Support for Socket FM1 100W processors - Supports AMD's Cool 'n' Quiet Technology - UMI-Link GEN2 |
| Chipset | - AMD A75 FCH (Hudson-D3) |
| Memory | - Dual Channel DDR3 memory technology - 2 x DDR3 DIMM slots - Supports DDR3 2400+(OC)/1600(OC)/1333/1066/800 non-ECC, un-buffered memory - Max. capacity of system memory: 16GB |
| Expansion Slot | - 1 x PCI Express 2.0 x16 slot - 1 x PCI Express 2.0 x1 slot - 2 x PCI slots - Supports AMD Dual Graphics |
| Graphics | - AMD Radeon HD 65XX/64XX graphics in Liano APU - DirectX 11, Pixel Shader 5.0 - Max. shared memory 512MB - Dual VGA Output: support HDMI and D-Sub ports by independent display controllers - Supports HDMI 1.4a Technology with max. resolution up to 1920x1200 @ 60Hz - Supports D-Sub with max. resolution up to 1920x1600 @ 60Hz - Supports Auto Lip Sync, Deep Color (12bpc), xvYCC and HBR (High Bit Rate Audio) with HDMI (Compliant HDMI monitor is required) - Supports Blu-ray Stereoscopic 3D with HDMI 1.4a - Supports AMD Steady Video™: New video post processing capability for automatic jitter reduction on home/online video - Supports HDCP function with HDMI port - Supports Full HD 1080p Blu-ray (BD) / HD-DVD playback with HDMI port |
| Audio | - 7.1 CH HD Audio with Content Protection (Realtek ALC892 Audio Codec) - Premium Blu-ray audio support - Supports THX TruStudio™ |
| LAN | - PCIe x1 Gigabit LAN 10/100/1000 Mb/s - Realtek RTL8111E - Supports Wake-On-LAN - Supports LAN Cable Detection - Supports Energy Efficient Ethernet 802.3az - Supports PXE |
| Rear Panel I/O | I/O Panel - 1 x PS/2 Mouse Port - 1 x PS/2 Keyboard Port - 1 x VGA/D-Sub Port - 1 x HDMI Port - 1 x Optical SPDIF Out Port - 2 x Ready-to-Use USB 2.0 Ports - 1 x eSATA3 Connector - 4 x Ready-to-Use USB 3.0 Ports - 1 x RJ-45 LAN Port with LED (ACT/LINK LED and SPEED LED) - HD Audio Jack: Rear Speaker / Central / Bass / Line in / Front Speaker / Microphone |
| SATA3 | - 5 x SATA3 6.0 Gb/s connectors, support RAID (RAID 0, RAID 1 and RAID 10), NCQ, AHCI and "Hot Plug" functions |
| USB 3.0 | - 4 x USB 3.0 ports, support USB 1.0/2.0/3.0 up to 5Gb/s |
| Connector | - 5 x SATA3 6.0 Gb/s connectors - 1 x IR header - 1 x CIR header - 1 x Print port header - 1 x COM port header - 1 x HDMI_SPDIF header - CPU/Chassis/Power Fan connector - 24 pin ATX power connector - 8 pin 12V power connector - Front panel audio connector - 3 x USB 2.0 headers (support 6 USB 2.0 ports) |
| BIOS Feature | - 32Mb AMI UEFI Legal BIOS with GUI support - Supports "Plug and Play" - ACPI 1.1 Compliance Wake Up Events - Supports jumperfree - SMBIOS 2.3.1 Support - DRAM, VDDP, VDDR, SB Voltage Multi-adjustment |
| Support CD | - Drivers, Utilities, AntiVirus Software (Trial Version), AMD Live! Explorer, CyberLink MediaEspresso 6.5 Trial, ASRock Software Suite (CyberLink DVD Suite - OEM and Trial) |
| Unique Feature | - ASRock Extreme Tuning Utility (AXTU) - ASRock Instant Boot - ASRock Instant Flash - ASRock APP Charger - ASRock SmartView - ASRock XFast USB - ASRock On/Off Play Technology - Hybrid Booster: - ASRock U-COP |
| Hardware Monitor | - CPU Temperature Sensing - Chassis Temperature Sensing - CPU/Chassis/Power Fan Tachometer - CPU/Chassis Quiet Fan - CPU/Chassis Fan Multi-Speed Control - Voltage Monitoring: +12V, +5V, +3.3V, Vcore |
| OS | - Microsoft® Windows® 7 / 7 64-bit / Vista™ / Vista™ 64-bit / XP / XP 64-bit compliant |
| Certifications | - FCC, CE, WHQL - ErP/EuP Ready (ErP/EuP ready power supply is required) |
| Accessories | - Quick Installation Guide, Support CD, I/O Shield - 2 x SATA data cables (optional) |

A75 M

AMD A75 Hudson D3 Chipset

ASRock
www.asrock.com

The Most Powerful APU Graphics Ever

| Configuration | | |
|---------------|----------------------------|----------------------------|
| Model | ASRock A75M | Other A75 Motherboard |
| Chipset | Hudson D3 | Hudson D3 |
| CPU | AMD A8-3850 2.9 GHz | AMD A8-3850 2.9 GHz |
| RAM | Kingston DDRIII 2250 2GB*2 | Kingston DDRIII 2250 2GB*2 |
| VGA Card | ATI HD 6600 | ATI HD 6600 |
| HDD | Western Digital WD6402AAEX | Western Digital WD6402AAEX |

Onboard APU Graphics Performance



50.82%
Surpassed Performance

3DMark Vantage (Performance)


ASRock A75M



Other A75 Motherboard



Dual Graphics Performance




20.90%
Surpassed Performance

3DMark Vantage (Performance)

ASRock A75M



Other A75 Motherboard



DDR3 2400+ Support

The World's Fastest A75 Motherboard With DDR3 2400+ Support



ASRock A75M MB

DDR3 2400+

Other A75 MB
DDR3 1866



A75 M

AMD A75 Hudson D3 Chipset


ASRock
www.asrock.com

XFast USB Technology

The world's fastest USB transfer speed.



USB 3.0 Benchmark



Native USB 3.0 and SATA3 Support

The AMD A75 Hudson D3 chipset provides native support of USB 3.0 and SATA3. ASRock A75 Motherboard Series provide rich storage options including 4 USB 3.0 and 5 SATA3 ports.

AMD Steady Video

New Video Post Processing Capability : automatic jitter reduction on home/online video.



On/Off Play

Enjoy great audio experience from the portable audio devices via PC speaker even when the system is powered off.



Cyberlink MediaEspresso 6.5 Trial

The fastest video media conversion software



THX TruStudio

Delivering the fullest audio experience for games, music and movies.



AXTU

ASRock Extreme Tuning Utility (AXTU) is an all-in-one software to fine-tune different features in a userfriendly interface, which includes Hardware Monitor, Fan Control, Overclocking, OC DNA and IES.



Graphical UEFI

- * Graphical Visual Experience
- * Mouse Enabling
- * Supports 3TB bootable HDD



USB 3.0

4 x USB 3.0 5Gb/s



SATA3

5 x SATA3 6Gb/s
1 x eSATA3 6Gb/s



App Charger

The best Apple charge companion

