AMD A55 FCH (Hudson-D2)




















PCIE x1 Gigabit LAN 10/100/1000 Mb/s Realtek RTL8111E Supports Wake-On-LAN Supports LAN Cable Detection Supports Energy Efficient Ethernet 802.3az Supports PXE LAN

I/O Panel - 1 x PS/2 Mouse Port Rear Panel I/O



1 X DVI-D Port 6 x Ready-to-Use USB 2.0 Ports 1 x RJ-45 LAN Port with LED (ACT/LINK LED and SPEED LED) HD Audio Jack: Line in / Front Speaker / Microphone

6 x SATA2 3.0 Gb/s connectors, support RAID (RAID 0, RAID 1 and RAID 10), NCQ, AHCI Connector - 6 x SATA2 3.0 Gb/s connectors, support RAID (f and "Hot Plug" functions - 1 x IR header - 1 x CIM port header - 1 x CIM port header - 1 x HDMI_SPDIF header - 1 x CPU Fan connector (4-pin) - 2 x Chassis Fan connectors (2 x 4-pin) - 2 x Chassis Fan connectors (2 x 4-pin) - 2 x Chassis Fan connectors (2 x 4-pin) - 2 x Chassis Fan connectors (2 x 4-pin) - 2 x Chassis Fan connector (4-pin) - 2 x Chassis Fan connector - 2 x USB 2.0 headers (support 4 USB 2.0 ports)

- 64Mb AMI UEFI Legal BIOS with GUI support
- Supports "Plug and Play"
- ACPI 1.1 Compliance Wake Up Events
- Supports jumperfree
- SMBIOS 2.3.1 Support
- DRAM, VDDP, VDDR Voltage Multi-adjustment **BIOS Feature**

Drivers, Utilities, AntiVirus Software (Trial Version), CyberLink MediaEspresso 6.5 Trial, Google Chrome Browser and Toolbar **Support CD**

ASRock Extreme Tuning Utility (AXTU)
ASRock Instant Boot
ASRock Instant Flash
ASRock APP Charger
ASRock XFast USB

Unique Feature

Accessories

ASRock Test Boot
ASRock X-Boost
ASRock Restart to UEFI
Hybrid Booster:
- ASRock U-COP

CPU Temperature Sensing
Chassis Temperature Sensing
CPU Fan Tachometer
Chassis Fan Tachometer
CPU/Chassis Quiet Fan
CPU/Chassis Fan Multi-Speed Control
Voltage Monitoring: +12V, +5V, +3.3V, Vcore **Hardware Monitor**

os - Microsoft® Windows® 8 / 8 64-bit / 7 / 7 64-bit / Vista™ / Vista™ 64-bit compliant FCC, CE, WHQL ErP/EuP ready power supply is required) Certifications

- Quick Installation Guide, Support CD, I/O Shield - 2 x SATA data cables





P7800+ 3DMark Vantage





AMD AMD Radeon HD 7000 Series Graphics

DirectX® 11





Restart to UEFI

Interactive UEFI

Google Chrome

Product Brief

- Support for Socket FM2 100W processors
- All Solid Capacitor Design
- Supports Dual Channel DDR3 1866
- Supports Intel XMP 1.3/1.2 and AMD Memory Profile
- Supports AMD Quad CrossFireX, CrossFireX and **Dual Graphics**
- Integrated AMD Radeon HD 7000 series graphics in A-series APU
- Dual-VGA Output : D-Sub, DVI-D
- 5.1 CH HD Audio (Realtek ALC662 Audio Codec)
- Supports ASRock X-Boost, XFast 555, Fast Boot, Restart to UEFI, OMG, Dehumidifier, Interactive UEFI
- Supports AMD Steady Video 2.0
- Free Bundle: CyberLink MediaEspresso 6.5 Trial, Google Chrome Browser and Toolbar







/SRock www.asrock.com

All Solid Capacitor Design

All the capacitors on this board are built with 100% all solid capacitors. With these solid caps, ASRock motherboard is allowed to perform more stably and ensure longer lifetime.



AMP & XMP

Not only supporting AMD Memory Profile (AMP), ASRock FM2 Motherboard Series also come with Intel XMP memory tuning kits, making it's easy to get maximum memory performance from your system.



AMD Radeon HD 7000 Series Graphics

Engineered for supremacy, designed for efficiency and packed with incredible features, the AMD Radeon HD 7000 Series offers the world's most advanced graphics.



DirectX® 11

DirectX® 11 is the very latest in high-speed, high-fidelity gaming and computing. It can enable not just more visually stunning games, but significant performance improvements in some of your favorite websites and everyday applications.



AMD Dual Graphics

The AMD Dual Graphics technology combines APU and GPU computing power to optimize user's visual experience.



AMD Steady Video 2.0

Bringing the best video experience! Compared to v1.0, AMD Steady Video 2.0 provides more tech advances such as Letter/Pillar Boxed Content, Indicator Overlay, Enhanced Algorithm Effectiveness, etc.



XFast 555 (XFast RAM, XFast LAN, XFast USB)

ASRock unique XFast 555 Technology (XFast RAM, XFast LAN, and XFast USB) allows users to experience 5 times performance boost in terms of system performance, LAN speed and USB transfer speed.



ASRock Dehumidifier

Users may prevent motherboard damages due to dampness by enabling "Dehumidifier Function". When enabling Dehumidifier Function, the computer will power on automatically to dehumidify the system after entering \$4/\$5 state.



Interactive UEFI

ASRock Interactive UEFI is a blend of system configuration tools, cool sound effects and stunning visuals. The unprecedented UEFI provides a more attractive interface and brings a lot more amusing.



ASRock OMG (Online Management Guard)

Fast, Easy and Free – ASRock OMG technology allows you to establish an internet curfew or restrict internet access at specified times. Administrators are able to schedule the starting and ending hours of internet access granted to other



Internet Flash

Internet Flash searches for available UEFI firmware updates from ASRock servers. System can auto-detect the latest UEFI from our servers and flash them within UEFI setup without entering Windows * OS.



Google Chrome Browser & Toolbar

Chrome is a fast, simple, and secure web browser, built for the modern web. Google Toolbar is designed to help you find what you're looking for quickly and discover new things along the way.

