FM2A75M-DGS R2.0



AMD A75 FCH (Hudson-D3)



- Support for Socket FM2 100W processors
- Solid Capacitor for CPU power
- Supports Dual Channel DDR3 1866
- Supports Intel XMP 1.3/1.2 and AMD Memory Profile
- Supports AMD Dual Graphics
- Integrated AMD Radeon HD 7000 series graphics in A-series APU
- Dual VGA Output: DVI-D, D-Sub
- 5.1 CH HD Audio (Realtek ALC662 Audio Codec)
- Supports ASRock X-Boost, XFast 555, Fast Boot, Restart to UEFI, OMG, Dehumidifier, Interactive UEFI
- Supports AMD Steady Video 2.0
- Free Bundle : CyberLink MediaEspresso 6.5 Trial, Google Chrome Browser and Toolbar

Platform	- Micro ATX Form Factor - Solid Capacitor for CPU power
CPU	- Support for Socket FM2 100W processors - Supports AMD's Cool 'n' Quiet Technology - UMI-Link GEN2
Chipset	- AMD A75 FCH (Hudson-D3)
Memory	Dual Channel DDR3 memory technology 2 x DDR3 DIMM slots Supports DDR3 1686/1600/1333/1066 non-ECC, un-buffered memory Max, capacity of system memory: 32GB Supports Intel [®] Extreme Memory Profile (XMP) 1.3 / 1.2 Supports AMD Memory Profile (AMP)
Expansion Slot	- 1 x PCI Express 2.0 x16 slot (PCIE1 @ x16 mode) - 1 x PCI Express 2.0 x1 slot - 1 x PCI slot - Supports AMD Dual Graphics
Graphics	Integrated AMD Radeon HD 7000 series graphics in A-series APU DirectX 11, Pixel Shader 5.0 Max. shared memory 2GB Dual VGA Output: support DVI and D-Sub ports by independent display controllers Support D-all-link DVI with max. resolution up to 2560x1600 @ 75Hz Supports D-Sub with max. resolution up to 1920x1600 @ 60Hz Supports AMD Steady Video [™] 2.0: New video pst processing capability for automatic jutter reduction on home/online video Supports HDCP function with DVI port Supports Full HD 1080p Blu-ray (BD) / HD-DVD playback with DVI port
Audio	- 5.1 CH HD Audio (Realtek ALC662 Audio Codec)
LAN	- POLE x1 Gigabit LAN 10/100/1000 Mb/s - Realtek RTL8111E - Supports Wake-On-LAN - Supports LAN Cable Detection - Supports LAN Cable Detection - Supports PXE
Rear Panel I/O	I/O Panel - 1 x PS/2 Keyboard Port - 1 x PS/2 Keyboard Port - 1 x DS-Jub Port - 1 x DV-ID Port - 4 x Ready-to-Use USB 2.0 Ports - 2 x Ready-to-Use USB 3.0 Ports - 2 x Ready-to-Use USB 3.0 Ports - 1 x RU-45 LAN Port with LED (ACT/LINK LED and SPEED LED) - HD Audio Jack: Line in / Front Speaker / Microphone
SATA3	- 6 x SATA3 6.0 Gb/s connectors, support RAID (RAID 0, RAID 1 and RAID 10), NCQ, AHCI and "Hot Plug" functions
USB 3.0	- 2 x Rear USB 3.0 ports, support USB 1.1/2.0/3.0 up to 5Gb/s - 1 x Front USB 3.0 header (supports 2 USB 3.0 ports), supports USB 1.1/2.0/3.0 up to 5Gb/s
Connector	- 6 x SATA3 6.0 Gb/s connectors - 1 x Pinit port header - 1 x COM port header - 1 x COM port header - 1 x CPU Fora connector (4-pin) - 1 x Chassis Fan connector (4-pin) - 24 pin ATX power connector - 4 pin 12Y power connector - Front panel audio connector - Front panel audio connector - X USB 2.0 headers (support 4 USB 2.0 ports) - 1 x USB 3.0 header (supports 2 USB 3.0 ports)
BIOS Feature	- 64Mb AMI UEFI Legal BIOS with GUI support - Supports "Plug and Play" - ACPI 1.1 Compliance Wake Up Events - Supports jumperfree - SMBIOS 2.3 Support - DRAM, VDDP, VDDR, SB Voltage Multi-adjustment
Support CD	- Drivers, Utilities, AntiVirus Software (Trial Version), CyberLink MediaEspresso 6.5 Trial, Google Chrome Browser and Toolbar
Unique Feature	ASRock Extreme Tuning Utility (AXTU) ASRock Instant Flash ASRock Instant Flash ASRock Arstant Flash ASRock Arstant Flash ASRock XFast LAN ASRock XFast LAN ASRock XFast RAM ASRock Crashless BIOS ASRock Crashless BIOS ASRock Crashless BIOS ASRock Crashless Hole ASRock Internet Flash ASRock Test RAM ASRock Reserved Test RAM ASRock Arstant RAM ASRock Reserved Test RAM ASRock Arstant RAM ASRock Arstant RAM ASRock Reserved Test RAM ASRock RAM ASRO
Hardware Monitor	CPU Temperature Sensing Chassis Temperature Sensing CPU/Chassis/Power Fan Tachometer CPU/Chassis Quiet Fan CPU/Chassis Fan Multi-Speed Control CASE OPEN detection Voltage Monitoring: +12V, +5V, +3.3V, Vcore
os	- Microsoft® Windows® 8 / 8 64-bit / 7 / 7 64-bit / Vista™ / Vista™ 64-bit compliant
Certifications	- FCC, CE, WHQL






X-Boost

Brilliantly designed for smart overclocking, ASRock X-Boost Technology is able to unleash the hidden power of your CPUs. Simply press "X" when turning on the PC, X-Boost will automatically overclock the relative components to get up to 15.77% performance boost! With the smart X-Boost, overclocking CPU can become a near one-button process.

2.79 pts 2.411 pts ASRock FM2 Motherboard With X-Boost Other FM2 Motherboard Without X-Boost Cinebench R11.5



Windows 8 Support

Fast Boot

With ASRock's exclusive Fast Boot technology, it takes less than 1.5 seconds' to logon to Windows 8 from a cold boot. No more waiting! The speedy boot will completely change your user experience and behavior.

*The boot time may vary with a different configuration.



Restart to UEFI

ASRock "Restart to UEFI" technology is designed for those requiring frequent UEFI access. It allows users to easily enter the UEFI SETUP automatically when turning on the PC next time.



The specification is subject to change without notice. The brand and product names are trademarks of their respective companies. Any configuration other than original product specification is not guaranteed.

FM2A75M-DGS R2.0 AMD A75 FCH (Hudson-D3)



The AMD Dual Graphics

user's visual experience.

technology combines APU and GPU computing power to optimize

DUAL

GRAPHICS

TECHNOLOGY

Interactive UEFI

ASRock Interactive UEFI is a blend of

system configuration tools, cool sound effects and stunning visuals. The unprecedented UEFI provides a more attractive interface and brings a lot more

amusing.

AMD Dual Graphics

AMP & XMP

Not only supporting AMD Memory Profile (AMP), ASRock FM2 Motherboard Series also come with Intel XMP memory tuning kits, making it's easy to get maximum memory performance from your system.



AMD Steady Video 2.0

Bringing the best video experience! Compared to v1.0, AMD Steady Video 2.0 provides more tech advances such as Letter/Pillar Boxed Content, Indicator Overlay, Enhanced Algorithm Effectiveness, etc.



ASRock OMG (Online Management Guard)

Fast, Easy and Free – ASRock OMG technology allows you to establish an internet curfew or restrict internet access at specified times. Administrators are able to schedule the starting and ending hours of internet access granted to other users.

AMD Radeon HD 7000 Series Graphics

Engineered for supremacy, designed for efficiency and packed with incredible features, the AMD Radeon HD 7000 Series offers the world's most advanced graphics.



XFast 555 (XFast RAM, XFast LAN, XFast USB)

ASRock unique XFast 555 Technology (XFast RAM, XFast LAN, and XFast USB) allows users to experience 5 times performance boost in terms of system performance, LAN speed and USB transfer speed.



Internet Flash

Internet Flash searches for available UEFI firmware updates from ASRock servers. System can auto-detect the latest UEFI from our servers and flash them within UEFI setup without entering Windows * OS.



Google Chrome Browser & Toolbar

Dehumidifier

Chrome is a fast, simple, and secure web browser, built for the modern web. Google Toolbar is designed to help you find what you're looking for quickly and discover new things along the way.

hrome







DirectX® 11 is the very latest in high-speed, high-fidelity gaming and computing. It can enable not just more visually stunning games, but significant performance improvements in some of your favorite websites and everyday applications.



ASRock Dehumidifier

Users may prevent motherboard damages due to dampness by enabling "Dehumidifier Function". When enabling Dehumidifier Function, the computer will power on automatically to dehumidify the system after entering S4/S5 state.

