H67M-GE Intel[®] H67 Chipset

1SROC www.asrock.com

Supports 2nd Generation Intel® Core™ i7 / i5 / i3 in LGA1155

Dual Channel DDR3 memory technology 4 x DDR3 DIMM slots Supports DDR3 1333/1066 non-ECC, un-buffered memory Max. capacity of system memory: 32GB

<<< Micro ATX Form Factor: 9.6-in x 9.6-in, 24.4 cm x 24.4 cm All Solid Capacitor design

	Detail Specification < < <	
	Platform	- Micro ATX Form Factor: 9.6-in x 9.6-in, 24.4 cm x 2 - All Solid Capacitor design
<image/>	CPU	- Supports 2 rd Generation Intel [®] Core [™] i7 / i5 / i3 in i Package 4 + 1 Power Phase Design - Supports Intel [®] Turbo Boost 2.0 Technology - Supports Intel [®] K-Series unlocked CPU - Supports Hyper-Threading Technology
	Chipset	- Intel [®] H67
	Memory	 Dual Channel DDR3 memory technology 4 x DDR3 DIMM slots Supports DDR3 1333/1066 non-ECC, un-buffered Max. capacity of system memory: 32GB
	Expansion Slot	- 1 x PCI Express 2.0 x16 slot (blue @ x16 mode) - 2 x PCI Express 2.0 x1 slots - 1 x PCI slot
	Graphics	Intel [®] HD Graphics 2000/3000 and new Visual Fea Pixel Shader 4.1, DirectX 10.1 Max, shared memory 1759MD, Max, shared memory 1759MD, Direct ADM 14 decennology with max, resoluti 1920x1200 @ 60H2 Supports DVI with max, resolution up to 1920x120 Supports D-Sub with max, resolution up to 2048xt Supports Auto Lip Sync, Deep Color (12bpc), xvYC (High Bit rate Audio) with HDMI (Compliant HDMI monitor is required) Supports HDCP function with DVI and HDMI ports Supports HDCP function with DVI and HDMI ports Audio Visual HDMI ports Audio Visual HDMI ports
	Audio	 - 7.1 CH HD Audio with Content Protection (Realtek Codec) - Premium Blu-ray audio support
ASRock AIWI-	LAN	- PCIE x1 Gigabit LAN 10/100/1000 Mb/s - Realtek RTL8111E - Supports Wake-On-LAN - Supports LAN Cable Detection - Supports Energy Efficient Ethernet 802.3az
	Rear Panel I/O	VO Panel 1 x PS2 Keyboard Port 1 x VGA/D-Sub Port 1 x VGA/D-VID Port 1 x VGA/D-VID Port 1 x HDMI Port 1 x Polical SPDIF Out Port 4 x Ready-to-Use USB 2.0 Ports 1 x eSATA2 Connector 1 x Ready-to-Use USB 3.0 Ports 1 x R-345 Zonnector 1 x R-345 LAN Port with LED (ACT/LINK LED and SF + HD Audio Jack: Rear Speaker / Central / Bass / Line i Microphone
	SATA3	 2 x SATA3 6.0 Gb/s connectors, support RAID (RA RAID 10, RAID 5 and Intel[®] Rapid Storage), NCQ, "Hot Plug" functions
Cooler Option	USB 3.0	- 2 x USB 3.0 ports by Etron EJ168A, support USB 5Gb/s
	Connector	- 3 x SATA2 3.0 Gb/s connectors, support RAID (RAID RAID 10, RAID 5 and Intel® Rapid Storage), NCQ, AF "Hot Plug" functions - 2 x SATA3 6.0 Gb/s connectors - 1 x Elony connectors

Product Brief < < <

- 100% All Solid Capacitor design
- Supports Intel® K-Series unlocked CPU
- Supports Dual Channel DDR3 1333
- Intel® HD Graphics 2000/3000 and new Visual Features, DX10.1, Pixel Shader 4.1
- Supports Blu-ray Stereoscopic 3D with HDMI 1.4a
- Multi VGA Output options: D-Sub, DVI-D and HDMI
- 2 x USB 3.0 ports, 2 x SATA3 connectors, 1 x eSATA2 connector
- Supports ASRock Extreme Tuning Utility (AXTU), Instant Boot, Instant Flash, Good Night LED, Multi-Fan Speed Control, AIWI, APP Charger, **SmartView**
- Combo Cooler Option (C.C.O.)
- 7.1 CH HD Audio with Content Protection (Realtek ALC892 Audio Codec), Premium Blu-ray audio suppport
- Free Gift: 1 x 3D Red/Cyan Anaglyph Glasses
- Free Software : CyberLink DVD Suite OEM and Trial; Creative Sound Blaster X-Fi MB - Trial

andy T made	Graphics	Intel [®] HD Graphics 2000/3000 and new Visual Features Pixel Shader 4.1, Direck 10.1 Max. shared memory 1759MB Multi VGA Output options: D-Sub, DVI-D and HDMI 5 Supports HDMI 1.4a Technology with max. resolution up to 1920x1200 @ 60Hz 5 Supports D-Sub with max. resolution up to 1920x1200 @ 60Hz 5 Supports D-Sub with max. resolution up to 2048x1536 @ 75Hz 5 Supports D-Sub with max. resolution up to 2048x1536 @ 75Hz (High Bit Rate Audio) with HDMI (Compliant HDMI monitor is required) 5 Supports Blu-ray Stereoscopic 3D with HDMI 1.4a 5 Supports Blu-ray Stereoscopic 3D with HDMI ports 5 Supports Full HD 1080p Blu-ray (BD) / HD-DVD playback with DVI and HDMI ports
	Audio	- 7.1 CH HD Audio with Content Protection (Realtek ALC892 Audio Codec) - Premium Blu-ray audio support
	LAN	PCIE x1 Gigabit LAN 10/100/1000 Mb/s Realtek RTL8111E Supports Wake-On-LAN Supports LAN Cable Detection Supports LAN Cable Detection
	Rear Panel I/O	I/O Panel 1 x PS/2 Keyboard Port 1 x VGA/D-Sub Port 1 x VGA/DV-D Port 1 x HOMI Port 1 x Optical SPDIF Out Port 4 x Ready-to-Use USB 2.0 Ports 1 x eSATA2 Connector 2 x Ready-to-Use USB 3.0 Ports 1 x R-45 LAN Port with LED (ACT/LINK LED and SPEED LED) + 10 Audio Jack: Rear Speaker / Central / Bass / Line in / Front Speaker / Microphone
	SATA3	- 2 x SATA3 6.0 Gb/s connectors, support RAID (RAID 0, RAID 1, RAID 10, RAID 5 and Intel® Rapid Storage), NCQ, AHCI and "Hot Plug" functions
	USB 3.0	- 2 x USB 3.0 ports by Etron EJ168A, support USB 1.0/2.0/3.0 up to 5Gb/s
	Connector	3 x SATA2 3.0 Gb/s connectors, support RAID (RAID 0, RAID 1, RAID 10, RAID 5 and Intel [®] Rapid Storage), NCO, AHCI and 'Hor Plug' functions 2 x SATA3 6.0 Gb/s connectors 1 x Floppy connector 1 x ICh header 1 x Print Port header 1 x Print Port header 1 x Print Port header 1 x POW pt Dheader 1 x Power Le Dheader 2 4 pin ATX power connector 2 4 pin ATX power connector 8 pin 12V power connector - 3 x USB 2.0 headers (support 6 USB 2.0 ports)
а	BIOS Feature	- 64Mb AMI UEFI Legal BIOS with GUI support - Supports "Plug and Play" - ACPI 1.1 Compliance Wake Up Events - Supports jumperfree - SMBIOS 2.3.1 Support - IGPU, DRAM, PCH, CPU PLL, VTT, VCCSA Voltage Multi-adjustment
	Support CD	- Drivers, Utilities, AntiVirus Software (Trial Version), ASRock Software Suite (CyberLink DVD Suite - OEM and Trial; Creative Sound Blaster X-Fi MB - Trial)
,	Unique Feature	- ASRock Extreme Tuning Utility (AXTU) - Instant Boot - ASRock Instant Flash - ASRock AIWI - ASRock APP Charger - SmartView + Hybrid Booster: - ASRock U-COP - Boot Failure Guard (B.F.G.) - Combo Cooler Option (C.C.O.) - Good Night LED
/	Hardware Monitor	- CPU Temperature Sensing - Chassis Temperature Sensing - CPU/Chassis/Power Fan Tachometer - CPU/Chassis Quiet Fan (Allow Chassis Fan Speed Auto-Adjust by CPU on MB Temperature) - CPU Fan Multi-Speed Control - Voltage Monitoring: +12V, +5V, +3.3V, CPU Vcore
	os	- Microsoft® Windows® 7 / 7 64-bit / Vista™ / Vista™ 64-bit / XP / XP 64-bit compliant
	Certifications	- FCC, CE, WHQL - ErP/EuP Ready (ErP/EuP ready power supply is required)

Quick Installation Guide, Support CD, I/O Shield 2 x SATA Data Cables (Optional) 1 x 3D Red/Cyan Anaglyph Glasses (Optional)

Accessories

The specification is subject to change without notice. The brand and product names are trademarks of their respective companies. Any configuration other than original product specification is not guaranteed.






ASRock XFast USB Technology -Faster Than Your Imagination!




(The rear I/O photo is example only)

ASRock XFast USB Technology redefines the new standard in high performance computing. Proving once again to be the pioneer in motherboard industry, ASRock XFast USB Series Motherboards integrate with the latest XFast USB Technology which delivers the world's fastest USB data transfer speed. According to the below graph, it shows that the ASRock XFast USB technology can even boost USB 3.0 performance up to 97.7%!















Combo Cooler Option

C.C.O. provides the flexible option to adopt three different CPU cooler types, Socket LGA 775*, LGA 1155 and LGA 1156**

*C.C.O. may not be compatible with all Socket 775 CPU coolers. **O is for Socket 1155 and Socket 1156 CPU cooler.

Support Intel® K-Series unlocked CPU



100% All Solid Capacitor design







Free Gift

3D Red/Cyan Anaglyph Glasses



Undoubtedly, "jump-out-of -the-screen" stereoscopic 3D technology is a rising trend in entertainment. In order to let our users experience 3D display in a simple way, ASRock specially provides a set of 3D Red/Cyan anaglyph glasses in our package.


3D Video Systems and 3D Viewing

3D video systems are designed to duplicate this real-world experience by providing each eye a unique version of the video. The 3D image is created by displaying a separate image for each eye. Objects in a 3D video might appear to be in front of or behind the screen. To view 3D video, the display technology and the corresponding 3D glasses insure that the left eye sees only the video meant for the left eye, and so on for the right eye.

Anaglyphic 3D

Mention 3D video, many people are of course familiar with 3D glasses, one red and one blue, cyan or green lens. The red/blue system is mainly used for traditional television and computer 3-D effects, and was used in older 3-D movies. These glasses use the anaglyphic method of displaying a 3D image.

Anaglyph images are created by using color filters to remove a portion of the visible color spectrum from the image meant for each eye. When viewed through the color filters in the 3D glasses, each eye only sees the image that contains the portion of the color spectrum not filtered out by the lens. The disadvantage of Anaglyphic 3D is obvious; the overall image quality suffers as a large portion of the color spectrum is filtered out of the image for each eye.







AXTU - The All-in-1 Tuning Software



ASRock Extreme Tuning Utility (AXTU) is an all-in-one software to fine-tune different features in an userfriendly interface, which includes Hardware Monitor, Fan Control, Overclocking, OC DNA and IES. In Hardware Monitor, it shows the major readings of your system. In Fan Control, it shows the fan speed and temperature for you to adjust. In Overclocking, you are allowed to overclock the GT frequency which helps to boost up the graphics performance and some voltage settings for optimal system performance. In OC DNA, you can save your OC settings as a profile and share with your friends. Your friends then can load the OC profile to their own system to get the same OC settings. In IES (Intelligent Energy Saver), the voltage regulator can reduce the number of output phases to improve efficiency when the CPU cores are idle without sacrificing computing performance.

UEFI -- The Revolutionary BIOS Interface



*Windows Vista-64bit or Windows 7-64bit OS is required

Unified Extensible Firmware Interface (UEFI) is a revolutionary BIOS utility which offers tweakfriendly options in an advanced viewing interface. Compared with traditional BIOS design, the latest UEFI utility provides lots improved functions. The major features of UEFI include:

1. Graphical Visual Experience – UEFI provides an improved visual interface with colorful icons and makes your computing environment more versatile to replace the traditional dull BIOS page.

2. Mouse Enabling – Besides keyboard control, you can freely use mouse to select your ideal settings in UEFI as well.

3. Support bootable HDD over than 2TB – UEFI breaks the limitation of 2TB bootable HDD on traditional BIOS. With UEFI, you can enjoy the bootable HDD size over than 2TB!*







Experience the Brand New Browser Now

SmartView is the smart start page for IE that combines your most visited web sites, your history, your Facebook friends and your real-time newsfeed into an enhanced view for a more personal Internet experience. ASRock motherboards are exclusively equipped with the SmartView utility that helps you keep in touch with friends on-the-go.

The Major Features of SmartView

Visual thumbnail images which categorize and rank your frequently visited websites, as well as provide a chronological view of your browser history.



A "Friend Wall" that conveniently alphabetizes your Facebook friends by profile photo, allowing immediate access to your friends' profile pages.



A persistent, real-time Facebook newsfeed located within the Internet Explorer sidebar.



A "share this" is button which allows you to instantly and immediately share webpage posts and links to your friends' Facebook pages.



Two mode options that allow you to choose your favored view style.



Flow Mode



Flow Mode

System Requirements OS version: Win7 32/64 bit, Vista 32/64 bit□Browser version: IE8











CyberLink Power2Go 6.1 LE OEM

Power2Go 6 lets you burn and backup videos, photos, music and data onto Blu-ray Discs and DVDs.

CyberLink MediaShow 4.1 SE OEM

Photo and video management software MediaShow edits videos and photos instantly, creates slideshow, and allows publishing directly to YouTube and Flickr.

CyberLink PowerDVD 8.0 DTS Trial

World-renowned PowerDVD 8 DTS delivers outstanding DVD movie playback quality on your PC.

CyberLink PowerDirector 8.0 Trial

PowerDirector - Video Editing software – edits high-definition videos including AVCHD, allows output to PSP iPod and Blu-ray Disc.

CyberLink PowerBackup 2.5 Trial

PowerBackup backups valuable data on your PC.

Creative Sound Blaster X-Fi MB Trial

The Sound Blaster X-Fi MB solution provides premium audio quality, effects and features for PC systems equipped with onboard audio.

For gamers, the EAX[®] ADVANCED HD 4.0, with its state-of-the-art Multi-Environment rendering and reverb modelling, delivers a much more realistic and immersive 3D gaming experience than your motherboard audio ever will.