# Q77M vPro

Intel® Q77 Chipset























Intel® Smart Connect Technology



ASRock OMG



Intel® Rapid Start Technology

National







#### **Product Brief**

- 100% All Solid Capacitor Design
- Supports DDR3 1600/1333/1066 non-ECC, un-buffered memory, Max. capacity of system memory: 32GB
- 1 x PCle 3.0 x16 Slot, 1 x PCle 2.0 x16 Slot
- Supports AMD Quad CrossFireX and CrossFireX
- Supports Intel® HD Graphics with Built-in Visuals
- Multi-VGA Output options: D-Sub, DVI-D and DisplayPort
- Intel PCIE Gigabit LAN
- 5.1 CH HD Audio (Realtek ALC662 Audio Codec), Supports THX TruStudio™
- Supports ASRock XFast RAM, XFast LAN, XFast USB, OMG, Internet Flash, UEFI System Browser
- Supports Intel vPro Technology, Intel Smart Response Technology, Intel Small Business Advantage, Intel Smart Connect Technology, Intel Rapid Start Technology
- Free Bundle: CyberLink MediaEspresso 6.5 Trial, ASRock MAGIX Multimedia Suite















## **Detail Specification** Micro ATX Form Factor: 9.6-in x 9.6-in, 24.4 cm x 24.4 cm All Solid Capacitor design **Platform** Supports 3<sup>st</sup> and 2<sup>st</sup> Generation Intel<sup>st</sup> Core<sup>st</sup> 17 / 15 / 13 in LGA1155 Package. 4 + 2 Power Phase Design Supports Intel<sup>st</sup> Turbe Boost 2 0 Technology Supports Intel<sup>st</sup> K-Series unlocked CPU Supports Hyper-Threading Technology CPU Intel® Q77 Supports Intel® vPro™ Technology Supports Intel® Active Management Technology 8.0 Supports Intel® Small Business Advantage Supports Intel® Rapid Start Technology and Smart Connect Technology Intel® Small Business Advantage, Intel® vPro™ Technology and Intel® Active Management Technology 8.0 can be supported only with Intel® Core® vPro™ processor family Chipset Dual Channel DDR3 memory technology 4 x DDR3 DIMM slots Supports DDR3 fe00/1333/1066 non-ECC, un-buffered memory (DDR3 1600 with Intel® hy Bridge CPU, DDR3 1333 with Intel® Sandy Bridge CPU) Max. capacity of system memory: 32GB Supports Intel® Extreme Memory Profile (XMP) 1.3 / 1.2 Memory 1 x PCI Express 3.0 x16 slot (PCIE1: x16 mode) \* PCIE 3.0 is only supported with Intel\* by Bridge CPU. With Intel\* Sandy Bridge CPU, it only supports PCIE 2.0. 1 x PCI Express 2.0 x16 slot (PCIE2: x4 mode) 2 x PCI slots Supports AMD Quad CrossFireX™ and CrossFireX™ **Expansion Slot** Intel® HD Graphics Bullt-in Visuals and the VGA outputs can be supported only with processors which are GPU integrated. Supports Intel® HD Graphics Bullt-in Visuals - Intel® Ouick Sync Video 2.0, Intel® InTru™ 3D, Intel® County Video HD Technology, Intel® Insider®, Intel® HD Graphics 250014000 Pixel Shader 5.0, DirectX 11 with Intel® Ivy Bridge CPU. Pixel Shader 4.1, DirectX 10.1 with Intel® Sandy Bridge CPU. Max. Shared memory 1760MB Three VGA Output options: D-Sub, DVI-D and DisplayPort Supports DVI with max. resolution up to 1920x1200 @ 60Hz Supports DVI with max. resolution up to 2560x1600 @ 60Hz Supports DisplayPort with max. resolution up to 2560x1600 @ 60Hz Supports HDCP function with DVI and DisplayPort ports Supports FUEl Putcellow with DVI and DisplayPort ports **Graphics** 5.1 CH HD Audio (Realtek ALC662 Audio Codec) Supports THX TruStudio™ **Audio** PCIE x1 Gigabit LAN 10/100/1000 Mb/s Intel® 82579LM Supports Wake-On-LAN Supports Energy Efficient Ethernet 802.3az Supports PXE LAN I/O Panel - 1 x PS/2 Keyboard Port - 1 x D-Sub Port - 1 x D-Sub Port - 1 x DVI-D Port - 1 x Display-Dort - 6 x Ready-to-Use USB 2.0 Ports - 2 x Ready-to-Use USB 3.0 Ports - 1 x RJ-45 LAN Ports with LED (ACT/LINK LED and SPEED LED) - HD Audio Jack: Line in / Front Speaker / Microphone Rear Panel I/O 2 x SATA3 6.0 Gb/s connectors, support RAID (RAID 0, RAID 1, RAID 5, RAID 10, Intel Rapid Storag and Intel Smart Response Technology), NCO, AHCI and Hot Plug functions SATA3 2 x Rear USB 3.0 ports, support USB 1.0/2.0/3.0 up to 5Gb/s 1 x Front USB 3.0 header (supports 2 USB 3.0 ports), supports USB 1.0/2.0/3.0 up to 5Gb/s **USB 3.0** 4 x SATA2 3.0 Gb/s connectors, support RAID (RAID 0, RAID 1, RAID 5, RAID 10, Intel Rapid Storage and Intel Smart Response Technology), NCO, AHCI and Hot Plug functions Connector 2 x USB 2.0 headers (support 4 USB 2.0 ports) 1 x USB 3.0 header (supports 2 USB 3.0 ports) 64Mb AMI UEFI Legal BIOS with GUI support Supports "Plug and Play" ACPI 1.1 Compliance Wake Up Events Supports jumperfree SMBIOS 2.3.1 Support CPU Core, IGPU, DRAM, 1.8V PLL, VTT, VCCSA Voltage Multi-adjustment **BIOS Feature** Drivers, Utilities, AntiVirus Software (Trial Version), CyberLink MediaEspresso 6.5 Trial, ASRock MAGIX Multimedia Suite - OEM Support CD **Unique Feature**

- ASRock Extreme Tuning Utility (AXTU)
- ASRock Instant Boot
- ASRock Instant Flash
- ASRock APP Charger
- ASRock APP Charger
- ASRock XFast USB
- ASRock OMG (Online Management Guard)
- ASRock Instanted Flash
- Hybrid Booster:
- ASRock U-COP
- Boot Failure Guard (B.F.G.)
- Combot Cooler Option (C.C.O.)

CPU Temperature Sensing
Chassis Temperature Sensing
Chassis Temperature Sensing
CPUChassis/Power Fan Tachometer
CPU Quiet Fan (Allow Chassis Fan Speed Auto-Adjust by CPU Temperature)
CPUChassis Fan Multi-Speed Control
Voltage Monitoring: +12V, +5V, +3.3V, CPU Vcore Hardware Monitor

- Microsoft\* Windows\* 7 / 7 64-bit / VistaTM / VistaTM 64-bit / XP / XP 64-bit compliant Certifications FCC, CE, WHQL ErP/EuP Ready (ErP/EuP ready power supply is required) Quick Installation Guide, Support CD, I/O Shield 2 x SATA Data Cables (Optional)

**Accessories** 





## Intel® vPro™ Technology



Intel® vPro™ Technology is a set of IT capabilities, including manageability, security and power management, all embedded into the hardware of PCs with Intel® Core™ vPro™ processors. The capabilities are built into the hardware, so they are available virtually anytime, even if the OS is inoperable, PC's power is off, or the hard drive has failed.



Intel<sup>®</sup> Virtualization Technology (VT)

The performance boost percentage may vary with a different configuration

Intel® VT Technology provides greater flexibility and maximum system utilization by consolidating multiple environments onto a single server, workstation, or PC.

3 Intel® Trusted Execution Technology (TXT)

Intel® TXT Technology enhances platform security by protecting PCs against software-based attacks and protecting the confidentiality and integrity of data stored or created on the system.

## Intel® Small Business Advantage





Intel<sup>®</sup> SBA with Next Generation Intel<sup>®</sup> Core is a unique, out-of-the-box solution that delivers:

- An easy-to-use interface
- Relevant security and productivity applications
- Free and easy customization







## **Intel Smart Response**

For users who are tempted to connect the SSD and HDD on ASRock motherboard, Intel Smart Response Technology can make the SSD become the "Cache of the HDD" to boost up the HDD access speed.

## **Intel Smart Connect Technology**

Intel Smart Connect Technology keeps content continuously updated while the PC is asleep! It will periodically wake up the PC while in a sleep state and check updates for things like email, Twitter, Facebook, etc.

## **Intel Rapid Start Technology**

Quickly return to where you left off with a PC that goes from deep-sleep to full awake in a flash.

## **Intel Gigabit LAN**

Intel LAN provides the best throughput performance, lower CPU utilization, enhanced stability and is able to deliver ultimate network experience to users!









#### **ASRock OMG** (Online Management Guard)

Fast, Easy and Free - ASRock OMG technology allows you to establish an internet curfew or restrict internet access at specified times. Administrators are able to schedule the starting and ending hours of internet access granted to other users.

#### Internet Flash

Internet Flash searches for available UFFI firmware updates from ASRock servers System can auto-detect the latest UEFI from our servers and flash them within UEFI setup without entering Windows ® OS.

## **Intel HD Graphics**

Intel® HD Graphics, simplifies your designs by eliminating additional discrete graphics hardware, while integrating stunning visuals and performance for immersive gaming.

#### **Next-Gen PCIe 3.0**

- Higher bit rate 8.0GT/s
- Higher bandwidth per lane 1GB/s
- Higher efficiency 98.5% encoding efficiency 100% backward compatible with
- previous PCI-E 2.0 / 1.0 standard

Note: Supported with 3rd Gen Intel Core Processor















## **UEFI System Browser**

UEFI system browser is a useful tool included in graphical UEFI. It can detect the devices and configurations that users are currently using in their PC



## **THX TruStudio**

Delivering the fullest audio experience for games, music and movies



## Cyberlink MediaEspresso 6.5 Trial

The fastest video media conversation software



## **MAGIX Multimedia** Suite

The ultimate solutions to enhance your media experience. From music management, music creation, video editing to photo management. Simply do more with your media than you ever thought possible.

